

- [2] R. A. Ahmad, J. Lacan, F. Arnal, M. Gineste and L. Clarac, "Enhancing Satellite System Throughput Using Adaptive HARQ for Delay Tolerant Services in Mobile Communications", *Wireless Telecommunications Symposium (WTS)*, 2015, pp.1-7, DOI: 10.1109/WTS.2015.7117278
- [3] D. Wu, S. Ci, "Cross-Layer Design for Combining Adaptive Modulation and Coding with Hybrid ARQ to Enhance Spectral Efficiency", 3rd International Conference on Broadband Communications, Networks and Systems, 2006, pp. 1-6, DOI: 10.1109/BROADNETS.2006.4374391.
- [4] J.-F. Cheng, "On the coding gain of incremental redundancy over chase combining," to appear in *Proc. IEEE Globalcom '03*, San Francisco, Dec. 2003, DOI: 10.1109/GLOCOM.2003.1258212.
- [5] J.-F. Cheng, Y.-P. Wang, and S. Parkvall, "Adaptive incremental redundancy," in *IEEE Veh. Tech. Conf.*, Orlando, Florida, USA, Oct. 2003, pp. 737–741, DOI: 10.1109/VETECF.2003.1285118.
- [6] L. Szczecinski, P. Duhamel, and M. Rahman, "Adaptive Incremental Redundancy for HARQ Transmission with Outdated CSI", *IEEE Global Telecommunications Conference, GLOBECOM* (2011), DOI: 10.1109/GLOCOM.2011.6134054.
- [7] G. Caire and D. Tuninetti, "The throughput of hybrid-ARQ protocols for the Gaussian collision channel," *IEEE Trans. Inf. Theory*, vol. 47, no. 5, pp. 1971–1988, Jul. 2001, DOI: 10.1109/18.930931.
- [8] E. Visotsky, Y. Sun, V. Tripathi, M. Honig, and R. Peterson, "Reliability-based incremental redundancy with convolutional codes," *IEEE Trans. Commun.*, vol. 53, no. 6, pp. 987 – 997, Jun. 2005, DOI: 10.1109/TCOMM.2005.850012.
- [9] G. L. Stüber, "Principles of Mobile Communication", 2nd ed. Norwell, MA: Kluwer, (2001), E-Book ISBN, 978-0-306-47315-9.
- [10] K. Sayana, J. Zhuang, K. Stewart, "Link Performance Abstraction based on Mean Mutual Information per Bit (MMIB) of the LLR Channel", *IEEE 802.16 Broadband Wireless Access Working Group*, IEEE C802.16m-07/097 (2007).
- [11] R. Srinivasan, J. Zhuang, L. Jalloul, R. Novak, and J. Park, "IEEE 802.16m evaluation methodology document (EMD)," *Tech. Rep. IEEE 802.16m-08/004r2*, Jul. (2008).
- [12] Brucninghaus, Astely, K. Salzer, D. Visturi, T. Alexiou, S. Karger and A. Seraji, "Link Performance Abstraction for ML Receivers based on RBIR Metrics," *IEEE 802.16 Broadband Wireless Access Working Group*, <http://ieee802.org/16/tgm/contrib/>.
- [13] Jingjing Zhao; Shi Jin; Xiao Li; Yongming Huang; Xiqi Gao, "Adaptive Modulation and Coding Based on Virtual HARQ for Satellite Wireless Communications," *International Conference on Wireless Communications and Signal Processing (WCSP)*, (2012), DOI: 10.1109/WCSP.2012.6542829.
- [14] a. Alkhoder, A. Assimi and M. Harriri, "Adaptive retransmission Protocol Based on Mutual Information," *International Journal of Future Generation Communication and Networking (IJFGCN)*, Vol. 11, No. 2, pp.49-70, (2018), DOI: 10.14257/ijfgcn.2018.11.2.05.
- [15] D. Chase, "A Combined Coding and Modulation Approach for Communication over Dispersive Channels", *IEEE Transactions on Communications*, vol. COM-21, NO. 3, March. 1973, DOI: 10.1109/TCOM.1973.1091636.
- [16] X. Wang, Q. Liu, and G. Giannakis, "Analyzing and optimizing adaptive modulation coding jointly with ARQ for QoS-guaranteed traffic," *IEEE Trans. Veh. Technol.*, vol. 56, no. 2, pp. 710–720, Mar. 2007, DOI: 10.1109/TVT.2007.891465.
- [17] L. Szczecinski, C. Correa and L. Ahumada, "Variable-Rate Transmission for Incremental Redundancy Hybrid ARQ," *IEEE Globecom 2010 proceedings*, DOI: 10.1109/GLOCOM.2010.5684186
- [18] E. Malkamäki and H. Leib, "Coded diversity on block-fading channels," *IEEE Trans. Inf. Theory*, vol. 45, no. 2, pp. 771–781, Mar. 1999, DOI: 10.1109/18.749028.
- [19] L. H. Ozarow, S. Shamai, and A. D. Wyner, "Information theoretic considerations for cellular mobile radio," *IEEE Trans. Veh. Technol.*, vol. 43, no. 5, pp. 359–378, Sep. 1994, 10.1109/25.293655.
- [20] J.F. Cheng, "Coding Performance of Hybrid ARQ Schemes," *IEEE Transactions on Communications*, Vol. 54, no. 6, June 2006, DOI: 10.1109/TCOMM.2006.876846.
- [21] M. -S. Alouini and A. J. Goldsmith, "Adaptive modulation over Nakagami fading channels," *Kluwer Journal on Wireless Commun.*, vol. 13, no. 1–2, pp. 119–143, may. 2000.
- [22] P. Wu and N. Jindal, "Performance of hybrid-ARQ in block-fading channels: A fixed outage probability analysis," *IEEE Trans. Commun.*, vol. 58, no. 4, pp. 1129 –1141, Apr. 2010, 10.1109/TCOMM.2010.04.080622.
- [23] M. Zorzi and R. Rao, "On the use of renewal theory in the analysis of ARQ protocols," *IEEE Trans. Commun.*, vol. 44, no. 9, pp. 1077– 1081, Sep 1996, DOI: 10.1109/26.536913.
- [24] B. Goebel, Z. Dawy, J. Hagenauer and J. C. Mueller, "An Approximation to the Distribution of Finite Sample Size Mutual Information Estimates," *IEEE International Conference on Communications*, 2005. ICC 2005. 2005 vol. 2, 2005, pp. 1102-1106, DOI: 10.1109/ICC.2005.1494518.
- [25] M. Zaffalon and M. Hutter, "Robust Feature Selection by Mutual Information Distributions," *UAI2002*, arXiv:cs/0206006v1 [cs.AI] 3, pp. 577-584, Jun. 2002, ISBN, 1-55860-897-4.
- [26] S. B. Wicker, "Error Control Systems for Digital Communication and Storage," Englewood Cliffs, NJ: Prentice-Hall, 1995, ISBN, 978-0132008099.
- [27] R. Sassioui, M. Jabi, L. Szczecinski, L. B. Le, M. Benjillali, and B. Pelletier, "HARQ and AMC: Friends or foes?" *IEEE Trans. Commun.*, vol. 65, no. 2, pp. 635–650, Feb. 2017, DOI: 10.1109/TCOMM.2016.2619716.
- [28] M. L. Treust, L. Szczecinski, and F. Labeau, "Rate Adaptation for Secure HARQ Protocols," *IEEE Transactions on Information Forensics and Security*, vol. 13, no. 12, pp. 2981-2994, Dec. 2018, DOI: 10.1109/TIFS.2018.2833799.
- [29] Z. Mheich, M. L. Treust, F. Alberge and P. Duhamel, "Rate Adaptation for Incremental Redundancy Secure HARQ," *IEEE Transactions on Communications*, vol. 64, no. 2, pp. 765-777, Feb. 2016, DOI: 10.1109/TCOMM.2015.2514284.
- [30] M. Vollmer, I. Rutter and K. Böhm, "On Complexity and Efficiency of Mutual Information Estimation on Static and Dynamic Data," *Proceedings of the 21st International Conference on Extending Database Technology (EDBT)*, March 26-29, 2018.



research interests are on Enhancing wireless communication systems.



A. Assimi was born in Derra, Syria in 1973. He received the Eng. degree from the ENST, Paris, France in 1996 and the Ph.D. degree from the University of Cergy-Pontoise, Cergy-Pontoise, France in 2009. He is currently an Assistant Professor and Head of Digital Electronics Lab at the Higher Institute for Applied Sciences and Technology, Damascus, Syria. His research interests include Man-Machine communication, mobile communication, and Turbo-processing and its application to communication systems.



Science and Technology in Damascus (HIAS-T-Syria).

M. Alhariri was born in Damascus Syrian Arab Republic in 1966. Received the electrical engineering degree in 1991 from the Damascus University. He received his Master degree in Antennas and Microwave Device at the Bauman Moscow State Technical University in 1997. He received his Ph.D. degree in Antennas, microwave devices and their technologies at the Moscow Aviation Institute in 2007. His research interests are in Electrodynamics modeling of printed slit antennas. He work in the Higher Institute of Applied